

Main Size ✓

Workpiece

Zr
Zirconia

PMMA

PEEK

WAX

Ti
Titanium

CoCr
Cobalt-
Chrome

GC
Glass
Ceramics

Coating

Diamond

Tyson

Electro-
Plated
Diamond


K
DLC

Model No.	Workpiece	Type	No. of Flutes	Cutting Diameter (D)	Effective Length (L1)	Shank Diameter (d)	Overall Length (L)	Coating
Applicable Machine : K4, N4, Z4								
✓ 2VDRB-006-088-335-RING	●	Ball	2	0.6	8.8	3	35	■
✓ 2VDRB-010-160-335-RING	●	Ball	2	1	16	3	35	■
✓ 2VDRB-020-160-335-RING	●	Ball	2	2	16	3	35	■
2VDRB-006-050-335-RING	●	Ball	2	0.6	5	3	35	■
2VDRB-010-130-335-RING	●	Ball	2	1	13	3	35	■
✓ 2VNRB-006-088-335-RING	●●●	Ball	2	0.6	8.8	3	35	-
✓ 2VNRB-010-160-335-RING	●●●	Ball	2	1	16	3	35	-
✓ 2VNRB-020-160-335-RING	●●●	Ball	2	2	16	3	35	-
1VNRB-006-070-335-RING	●●●	Ball	1	0.6	7	3	35	-
1VNRB-006-110-335-RING	●●●	Ball	1	0.6	11	3	35	-
1VNRB-010-160-335-RING	●●●	Ball	1	1	16	3	35	-
1VNRB-020-170-335-RING	●●●	Ball	1	2	17	3	35	-
2VNRB-006-030-335-RING	●●●	Ball	2	0.6	3	3	35	-
2VNRB-006-070-335-RING	●●●	Ball	2	0.6	7	3	35	-
2VNRB-006-110-335-RING	●●●	Ball	2	0.6	11	3	35	-
2VNRB-010-130-335-RING	●●●	Ball	2	1	13	3	35	-
2VNRB-020-170-335-RING	●●●	Ball	2	2	17	3	35	-
3VNRB-010-160-335-RING	●●●	Ball	3	1	16	3	35	-
3VNRB-020-170-335-RING	●●●	Ball	3	2	17	3	35	-
✓ 2VTPB-006-012-332-RING	●●	Ball	2	0.6	-	3	32	■
✓ 2VTPB-006-012-335-RING	●●	Ball	2	0.6	-	3	35	■
✓ 2VTRB-010-080-332-RING	●●	Ball	2	1	8	3	32	■
✓ 2VTRB-010-130-335-RING	●●	Ball	2	1	13	3	35	■
✓ 2VTRB-020-160-335-RING	●●	Ball	2	2	16	3	35	■
✓ 2VTRR-012-R012-080-332-RING	●●	Corner R	2	1.2	8	3	32	■
✓ 2VTRR-012-R012-080-335-RING	●●	Corner R	2	1.2	8	3	35	■
Applicable Machine : N4, R5, S1, S2, Z4								
✓ 1VEVR-006-055-335-RING	●	Ball	1	0.6	-	3	35	■
✓ 1VERB-010-080-335-RING	●	Ball	1	1	-	3	35	■
✓ 1VERB-024-160-335-RING	●	Ball	1	2.4	-	3	35	■



Applicable Machine

K4, N4, Z4




Applicable Machine

N4, R5, S1, S2, Z4



Dimension Guide



Main Size ✓

Workpiece

Zr
Zirconia

PMMA

PEEK

WAX

Ti
Titanium

CoCr
Cobalt-Chrome

GC
Glass Ceramics

Coating

Diamond

Tyson


Electro-Plated Diamond

K
DLC

Model No.	Workpiece	Type	No. of Flutes	Cutting Diameter (D)	Effective Length (L1)	Shank Diameter (d)	Overall Length (L)	Coating
Applicable Machine : K5, R5, S1, S2								
✓ 2VDRB-006-110-340-RING	●	Ball	2	0.6	11	3	40	■
✓ 2VDRB-010-160-340-RING	●	Ball	2	1	16	3	40	■
✓ 2VDRB-020-160-340-RING	●	Ball	2	2	16	3	40	■
✓ 3VDRB-020-160-340-RING	●	Ball	3	2	16	3	40	■
2VDRB-006-030-340-RING	●	Ball	2	0.6	3	3	40	■
2VDRB-006-070-340-RING	●	Ball	2	0.6	7	3	40	■
2VDRB-006-088-340-RING	●	Ball	2	0.6	8.8	3	40	■
2VDRB-010-170-340-RING	●	Ball	2	1	17	3	40	■
2VDRB-020-170-340-RING	●	Ball	2	2	17	3	40	■
3VDRB-010-170-340-RING	●	Ball	3	1	17	3	40	■
3VDRB-020-170-340-RING	●	Ball	3	2	17	3	40	■
✓ 2VNTB-003-160-340-RING	●●●	Taper	2	0.3	16	3	40	-
2VNRB-006-030-340-RING	●●●	Ball	2	0.6	3	3	40	-
✓ 2VNRB-006-088-340-RING	●●●	Ball	2	0.6	8.8	3	40	-
✓ 2VNRB-010-160-340-RING	●●●	Ball	2	1	16	3	40	-
✓ 2VNRB-020-160-340-RING	●●●	Ball	2	2	16	3	40	-
✓ 1VNRR-025-R008-160-340-RING	●●●	Corner R	1	2.5	16	3	40	-

Applicable Machine

K5, R5, S1, S2



Dimension Guide

