

Main Size ✓

Workpiece

Zr
Zirconia

PMMA

PEEK

WAX

Ti
Titanium

CoCr
Cobalt-
Chrome

GC
Glass
Ceramics

Coating

Diamond


Tyson

Electro-
Plated
Diamond

K
DLC

Model No.	Workpiece	Type	No. of Flutes	Cutting Diameter (D)	Effective Length (L1)	Shank Diameter (d)	Overall Length (L)	Coating
Applicable Machine : Zenotec Select Hybrid								
✓ 2WDRB-007-070-340-RING	●	Ball	2	0.7	7	3	40	■
✓ 2WDRB-010-170-340-RING	●	Ball	2	1	17	3	40	■
✓ 2WDRB-020-170-340-RING	●	Ball	2	2	17	3	40	■
✓ 2WDRB-025-200-340-RING	●	Ball	2	2.5	20	3	40	■
2WDRB-006-070-340-RING	●	Ball	2	0.6	7	3	40	■
2WDRB-007-086-340-RING	●	Ball	2	0.7	8.6	3	40	■
2WDRB-010-130-340-RING	●	Ball	2	1	13	3	40	■
2WDRB-020-160-340-RING	●	Ball	2	2	16	3	40	■
2WDRB-025-150-340-RING	●	Ball	2	2.5	15	3	40	■
3WDRB-010-170-340-RING	●	Ball	3	1	17	3	40	■
3WDRB-020-170-340-RING	●	Ball	3	2	17	3	40	■
3WDRB-025-200-340-RING	●	Ball	3	2.5	20	3	40	■
✓ 2WNVB-003-018-340-RING	●●●	Taper	2	0.3	-	3	40	-
✓ 2WNRB-007-086-340-RING	●●●	Ball	2	0.7	8.6	3	40	-
✓ 2WNRB-010-130-340-RING	●●●	Ball	2	1	13	3	40	-
✓ 2WNRB-020-160-340-RING	●●●	Ball	2	2	16	3	40	-
✓ 2WNRB-025-150-340-RING	●●●	Ball	2	2.5	15	3	40	-
2WNRB-003-034-340-RING	●●●	Ball	2	0.3	3.4	3	40	-
1WNRB-006-070-340-RING	●●●	Ball	1	0.6	7	3	40	-
1WNRB-007-070-340-RING	●●●	Ball	1	0.7	7	3	40	-
1WNRB-010-170-340-RING	●●●	Ball	1	1	17	3	40	-
1WNRB-020-170-340-RING	●●●	Ball	1	2	17	3	40	-
1WNRB-025-200-340-RING	●●●	Ball	1	2.5	20	3	40	-
✓ 2WTRB-010-130-340-RING	●●	Ball	2	1	13	3	40	■
✓ 2WTRB-020-160-340-RING	●●	Ball	2	2	16	3	40	■
✓ 2WTRB-025-150-340-RING	●●	Ball	2	2.5	15	3	40	■
✓ 1WEPB-005-095-340-RING-OS	●	Ball	1	0.5	-	3	40	■
✓ 1WEPB-010-085-340-RING-OS	●	Ball	1	1	-	3	40	■
✓ 1WEPB-020-170-340-RING-OS	●	Ball	1	2	-	3	40	■
✓ 1WEPB-030-180-340-RING-OS	●	Ball	1	3	-	3	40	■

Dimension Guide



Main Size ✓


Workpiece



Coating




Model No.	Workpiece	Type	No. of Flutes	Cutting Diameter (D)	Effective Length (L1)	Shank Diameter (d)	Overall Length (L)	Coating
Applicable Machine : Zenotec Mini								
✓ 2WDRB-007-086-335-RING		Ball	2	0.7	3	8.6	35	
✓ 2WDRB-010-130-335-RING		Ball	2	1	3	13	35	
✓ 2WDRB-020-160-335-RING		Ball	2	2	3	16	35	
✓ 2WDRB-025-150-335-RING		Ball	2	2.5	3	15	35	
✓ 2WNRB-007-086-335-RING		Ball	2	0.7	3	8.6	35	-
✓ 2WNRB-010-130-335-RING		Ball	2	1	3	13	35	-
✓ 2WNRB-020-160-335-RING		Ball	2	2	3	16	35	-
✓ 2WNRB-025-150-335-RING		Ball	2	2.5	3	15	35	-
1WNRB-006-070-335-RING		Ball	1	0.6	3	7	35	-
1WNRB-007-070-335-RING		Ball	1	0.7	3	7	35	-
1WNRB-010-160-335-RING		Ball	1	1	3	16	35	-
1WNRB-020-170-335-RING		Ball	1	2	3	17	35	-
1WNRB-025-200-335-RING		Ball	1	2.5	3	20	35	-
2WNRB-003-034-335-RING		Ball	2	0.3	3	3.4	35	-
2WNRB-006-070-335-RING		Ball	2	0.6	3	7	35	-
2WNRB-007-070-335-RING		Ball	2	0.7	3	7	35	-
2WNRB-010-160-335-RING		Ball	2	1	3	16	35	-
2WNRB-020-170-335-RING		Ball	2	2	3	17	35	-
2WNRB-025-200-335-RING		Ball	2	2.5	3	20	35	-
3WNRB-010-160-335-RING		Ball	3	1	3	16	35	-
3WNRB-020-170-335-RING		Ball	3	2	3	17	35	-
3WNRB-025-200-335-RING		Ball	3	2.5	3	20	35	-
✓ 2WTRB-010-130-335-RING		Ball	2	1	3	13	35	
✓ 2WTRB-020-160-335-RING		Ball	2	2	3	16	35	
✓ 2WTRB-025-150-335-RING		Ball	2	2.5	3	15	35	




Applicable Machine

Zenotec Select Hybrid



Applicable Machine

Zenotec Mini



Dimension Guide

